


# NOVAL

## Semi-recessed Downlight





NOVAL Semi-recessed Downlight



# NOVAL Semi-recessed Downlight

## NOVAL Semi-recessed Downlight



### Body

Semi-recessed down light with round, square 1H and 2H, also have 2 kinds of power to meet different illumination requirements.

A range of luminaires designed primarily for spaces with restricted heights and no suspended ceilings. Can be horizontally at 90 degrees and rotated at 350 degrees.

The luminaire is small and simple, can be integrated into almost any room architecture.

### Accessories

Honeycomb louvre, Linear Spread glass, glass.

### Finish

Black or white colour.

### LED sources

Light source: SMD LED Or High Power  
CRI: 90 | CCT: 3000K, 4000K  
Other CRI and CCT options available on request.

### Optic

Lens.  
Narrow, medium and wide beam angle available.


### Driver

Supplied with No-dimable remote driver.  
Diming Options: 0-10V Dim, Dali Dim.

### Applications

Mainly for spaces with restricted floor heights, such as clothing shops, furniture shops and other brand boutiques, car displays, jewelry, star hotels, high-end clubs, museums, chain stores, brand sales halls, professional windows, counters and other accent lighting places.

### Suitable Accessories



Linear Spread glass



Glass





Honeycomb louvre

Code Ordering Example: 5 6 . 0 2 3 1 1 - 9 0 3 0 2 2 D 0 1 0

	Product Code	Light Source Code	>CRI	CCT	LED Power	Nominal Lumen	Beam Angle (BA)	Driver Options	Finish
NOVAL 23 Downlight Round	56.02311 CA	COB LED	90	30 3000K	3W	535 lm	22°/27°/40°	D0 No Dim	10 □ WH
			40	4000k		561 lm		DA Dali Dim	20 ■ BK
NOVAL 23 Downlight Square 1H	52.02312 CA	COB LED	90	30 3000K	3W	535 lm	22°/27°/40°	DC 0-10V Dim	
			40	4000k		561 lm			
NOVAL 23 Downlight Square 2H	52.02313 CA	COB LED	90	30 3000K	2X3W	535 lm	22°/27°/40°		
						561 lm			

# NOVAL Semi-recessed Downlight

## NOVAL Semi-recessed Downlight



### Body

Semi-recessed down light with round, square 1H and 2H, also have 2 kinds of power to meet different illumination requirements.

A range of luminaires designed primarily for spaces with restricted heights and no suspended ceilings. Can be horizontally at 90 degrees and rotated at 350 degrees.

The luminaire is small and simple, can be integrated into almost any room architecture.

### Accessories

Honeycomb louvre, Linear Spread glass, glass.

### Finish

Black or white colour.

### LED sources

Light source: SMD LED Or High Power  
CRI: 90 | CCT: 3000K, 4000K  
Other CRI and CCT options available on request.

### Optic

Lens.  
Narrow, medium and wide beam angle available.


### Driver

Supplied with No-dimable remote driver.  
Diming Options: 0-10V Dim, Dali Dim.

### Applications

Mainly for spaces with restricted floor heights, such as clothing shops, furniture shops and other brand boutiques, car displays, jewelry, star hotels, high-end clubs, museums, chain stores, brand sales halls, professional windows, counters and other accent lighting places.

### Suitable Accessories



Linear Spread glass



Glass



Honeycomb louvre

Code Ordering Example: 5 6 . 0 3 7 1 1 - 9 0 3 0 2 2 D 0 1 0

	Product Code	Light Source Code	>CRI	CCT	LED Power	Nominal Lumen	Beam Angle (BA)	Driver Options	Finish
NOVAL 37 Downlight Round	56.03711 CA	COB LED	90	30	3000K	6W	535 lm	22°/27°/40°	D0 No Dim 10 □ WH
			40	4000k			561 lm		DA Dali Dim 20 ■ BK
NOVAL 37 Downlight Square 1H	56.03712 CA	COB LED	90	30	3000K	6W	535 lm	22°/27°/40°	DC 0-10V Dim
			40	4000k			561 lm		
NOVAL 37 Downlight Square 2H	56.03713 CA	COB LED	90	30	3000K	2X6W	535 lm	22°/27°/40°	
							561 lm		